

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

SILICONE OXIM QP16.2319 (ANTHRACITE GREY)

Supercedes Date: 09-Mar-2021

Revision date 09-Mar-2021 Revision Number 1

\_\_\_\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name SILICONE OXIM QP16.2319 (ANTHRACITE GREY)

Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known.

#### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Bostik Benelux B.V. Denariusstraat 11 4903 RC Oosterhout The Netherlands Tel: + 31 162 491 000

Tel. + 31 102 491 000

E-mail address SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

Emergency Telephone No information available

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## **EU Specific Hazard Statements**

EUH208 - Contains 3-(Triethoxysilyl) propylamine. May produce an allergic reaction

EUH210 - Safety data sheet available on request

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon curing. Small amounts of 2-Pentanone oxime (CAS 623-40-5) are formed by hydrolysis and released upon curing.

Europe - EN Page 1/12

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

Supercedes Date: 09-Mar-2021

Revision date 09-Mar-2021

**Revision Number** 1

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
2-Pentandione, O,O',O"-(methylsilylidyn e)trioxime	484-460-1	37859-55-5	1 - <2.5	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)		01-2120004323- 76-XXXX
3-(Triethoxysilyl) propylamine	213-048-4	919-30-2	0.1- <1	Skin Corr. 1B (H314) Skin Sens. 1 (H317) Acute Tox. 4 (H302)		01-2119480479- 24-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1- <1	Carc. 2 (H351i)		01-2119489379- 17-XXXX

### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses Eye contact

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with Ingestion

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

Europe - EN Page 2/12

SILICONE OXIM QP16.2319 (ANTHRACITE GREY)

·

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when

the product is exposed to moisture or water. Treat symptomatically.

Revision date 09-Mar-2021

**Revision Number 1** 

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Supercedes Date: 09-Mar-2021

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

irritating and toxic gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

**For emergency responders** Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work. Take off all contaminated clothing and wash it before reuse.

Europe - EN Page 3/12

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

Supercedes Date: 09-Mar-2021 Revision Number 1

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Exposure Limits Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released upon

curing Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released

Revision date 09-Mar-2021

upon curing

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>
	*

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
3-(Triethoxysilyl) propylamir	ne (919-30-2)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	59 mg/m³		
worker Short term Systemic health effects	Inhalation	59 mg/m³		
worker Long term Systemic health effects	Dermal	8.3 mg/kg bw/d		
worker Short term Systemic health effects	Dermal	8.3 mg/kg bw/d		

Titanium dioxide (13463-67-7)			
Туре	1		Safety factor
		(DNEL)	
worker	Inhalation	10 mg/m³	
Long term			
Local health effects			

Derived No Effect Level (DNEL)					
3-(Triethoxysilyl) prop	3-(Triethoxysilyl) propylamine (919-30-2)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term	Inhalation	17 mg/m³			

Europe - EN Page 4/12

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

Supercedes Date: 09-Mar-2021 Revision Number 1

Revision date 09-Mar-2021

Systemic health effects			
Consumer	Inhalation	17.4 mg/m³	
Short term			
Systemic health effects			
Consumer	Dermal	5 mg/kg bw/d	
Long term			
Systemic health effects			
Consumer	Dermal	5 mg/kg bw/d	
Short term			
Systemic health effects			

Titanium dioxide (13463-67-7)				
Туре			Safety factor	
		(DNEL)		
Consumer	Oral	700 mg/kg bw/d		
Long term				
Systemic health effects				

**Predicted No Effect Concentration** No information available. **(PNEC)** 

Predicted No Effect Concentration (PNEC)			
3-(Triethoxysilyl) propylamine (919-30-2)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.33 mg/l		
Marine water	0.033 mg/l		

Titaniam discide (40.400.07.7)	
Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

**Skin and body protection** None under normal use conditions.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Europe - EN Page 5/12

Revision date 09-Mar-2021

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

Supercedes Date: 09-Mar-2021 Revision Number 1

Physical state Solid Appearance Paste

**Colour** See section 1 for more information

**Odour** Characteristic

Odour threshold No information available

Property Values Remarks • Method PH No data available Not applicable Insoluble in water

pH No data available
Melting point / freezing point No data available
Initial boiling point and boiling No data available

range

Flash point

Evaporation rate
Flammability

No data available
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableRelative vapour densityNo data availableRelative densityNo data available

Water solubility Product cures with moisture

Solubility(ies) No data available **Partition coefficient** No data available No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity > 21 mm<sup>2</sup>/s No data available Dynamic viscosity **Explosive properties** No data available **Oxidising properties** No data available

9.2. Other information

Solid content (%)

VOC Content (%)

No information available

No information available

Liquid Density 1.26

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

mpact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

Europe - EN Page 6/12

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

Supercedes Date: 09-Mar-2021 Revision Number 1

\_\_\_\_\_

Revision date 09-Mar-2021

sources of ignition.

10.5. Incompatible materials

Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of ethanol (CAS 64-17-5) are formed by hydrolysis and released

upon curing.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

**Inhalation** Based on available data, the classification criteria are not met.

**Eye contact** Based on available data, the classification criteria are not met.

**Skin contact** Based on available data, the classification criteria are not met.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Numerical measures of toxicity

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 53,572.10 mg/kg **ATEmix (dermal)** 72,279.10 mg/kg

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
2-Pentandione, LD50 =1234 mg/kg bw		LD50 > 2000 mg/kg (Rattus)		
O,O',O''-(methylsilylidyne)trioxi	(Rattus)(OECD guideline 425)	EU Method B.3		
me				
37859-55-5				
3-(Triethoxysilyl) propylamine	LD50 = 1490 mg/kg (Rat,	LD50 = 4076 mg/kg	LC50 >144 mg/L (6h) Rat	
919-30-2	female) EPA OTS 798.1175	(Oryctolagus cuniculus) EPA	(Vapour)	
		OTS 798.1100		
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l	
13463-67-7				

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Europe - EN Page 7/12

Revision date 09-Mar-2021

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

Supercedes Date: 09-Mar-2021 Revision Number 1

\_\_\_\_\_

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide	Carc. 2
13463-67-7	

The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
2-Pentandione,	EC50 (72h) = 88	LC50 (96h)	-	EC50 (48h)		
O,O',O"-(methylsilylidy	mg/L	>113 mg/L		>100 mg/L		
ne)trioxime	(Pseudokirchner			(Daphnia		
37859-55-5	iella	mykiss) Static		magna) static		
	subcapitata)	(OECD		(OECD		
	OECD 201	Guideline 203)		guideline 202)		
3-(Triethoxysilyl)	EC50 (72h)	LC50 (96h)	-	EC50 (48h)		
propylamine	>1000 mg/L	>934 mg/L		=331 mg/L		
919-30-2	Green algae	(Brachydanio		Daphnia magna		
	(desmodesmus	rerio) (OECD		(OECD TG 202)		
	subspicatus)	TG 203)				
	(OECD TG 201)					
Titanium dioxide	LC50 (96h)	=	-	-		
13463-67-7	>10000 mg/l					
	(Cyprinodon					

Europe - EN Page 8/12

Revision date 09-Mar-2021

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

Supercedes Date: 09-Mar-2021 Revision Number 1

variegatus	)		
OECD 203	3		

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
2-Pentandione, O,O',O''-(methylsilylidyne)trioxime	1.25	3.1
37859-55-5		
3-(Triethoxysilyl) propylamine	1.7	3.4
919-30-2		

### 12.4. Mobility in soil

**Mobility in soil** No information available.

#### 12.5. Results of PBT and vPvB assessment

## PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime 37859-55-5	The substance is not PBT / vPvB	
3-(TriethoxysilyI) propylamine 919-30-2	The substance is not PBT / vPvB	
Titanium dioxide	The substance is not PBT / vPvB	
13463-67-7	PBT assessment does not apply	

## 12.6. Other adverse effects

Other adverse effects No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international

regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

Europe - EN Page 9/12

Revision date 09-Mar-2021

SILICONE OXIM QP16.2319 (ANTHRACITE GREY)

Supercedes Date: 09-Mar-2021 Revision Number 1

14.1 UN number or ID number Not regulated
14.2 Proper Shipping Name Not regulated

14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special Provisions None

#### <u>IMDG</u>

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group

Not regulated
Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

This product contains a biocidal product for the preservation of the dry film Contains: 2-octyl-2H-isothiazol-3-one [OIT]

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Europe - EN Page 10/12

#### SILICONE OXIM QP16.2319 (ANTHRACITE GREY)

Supercedes Date: 09-Mar-2021

Revision date 09-Mar-2021

**Revision Number 1** 

#### **Persistent Organic Pollutants**

Not applicable

#### National regulations

**France** 

## Germany

#### Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

### **Netherlands**

# List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

#### Denmark

Registration number(s) (P-no.) No information available

**Norway** 

Registration number(s) (PRN-no.) No information available

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

#### Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

### Key literature references and sources for data

No information available

Europe - EN Page 11/12

Revision date 09-Mar-2021

**Revision Number** 1

**SILICONE OXIM QP16.2319 (ANTHRACITE GREY)** 

•

\_\_\_\_\_

Prepared By Product Safety & Regulatory Affairs

Revision date 09-Mar-2021

Indication of changes

Supercedes Date: 09-Mar-2021

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Europe - EN Page 12/12