

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: ISOBUTANE/PROPANE 3.5 bar
UFI	: 3QD0-J0V7-G00P-2RPM
Product code	: 100089400
Synonyms	: NovaSpray isobutane/propane 3.5 bar

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use
Use of the substance/mixture	: Aerosol jet

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Dehon Service SAS
26 Avenue du Petit Parc
94683 VINCENNES Cedex
France
T 01 43 98 75 00 - F 01 43 98 21 51
ContactFDS@climalife.dehon.com

Other

Climalife Kft Budepesta sucucala Bucuresti Romania
Bulevardul Hristo Botev, Nr. 28, Biroul NR 4, Modulul I
Bucuresti Sectorul 3
Romania
ContactFDS@climalife.dehon.com

Other

Dehon Kälte-Fachvertriebs GmbH
Robert-Bosch-Strasse 14
40668 MEERBUSCH
Germany
T 00 49 2150 7073 0 - F 00 49 2150 7073 17
ContactFDS@climalife.dehon.com

Other

Dehon Service Belgium s.a/n.v.
Avenue Carton de Wiart, 79
1090 Bruxelles
Belgium
T 00 32 2 421 01 70 - F 00 32 2 426 96 62
ContactFDS@climalife.dehon.com

Other

Galco s.a/n.v.
Avenue Carton de Wiart, 79
1090 BRUSSELS
Belgium
T 00 32 2 421 01 84 - F 00 32 2 421 01 84 / 00 32 2 425 38 12
ContactFDS@climalife.dehon.com

Other

Prochimac SA
ZI Petits Champs 15
CH-1400 Yverdon-les-Bains

Other

Climalife Hongrie Kft
Villányi út 47
1118 Budaörs
Hungary
T (36) 23 431 660 - F (36) 23 431 661
ContactFDS@climalife.dehon.com

Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL
Via del Lavoro, 10/G
20874 Busnago MB
Italia
T +39 39-5973480 - F +39 39-5973490
ContactFDS@climalife.dehon.com

Other

Dehon nordic service
Östra Hamngatan 50B 3tr
41109 GÖTEBORG
Sweden
T 00 46 735 01 90 50
ContactFDS@climalife.dehon.com

Other

Friogas sa
Poligono Industrial SEPES Parcela 10
46500 SAGUNTO (Valencia)
Spain
T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25
ContactFDS@climalife.dehon.com

Other

IDS Refrigeration Limited
22 Apex Court, Woodlands, Bradley Stoke
BS32 4JT Bristol
United Kingdom
T 00 44 1179 802520 - F 00 44 1179 802521
ContactFDS@climalife.dehon.com

Other

Dehon Service Nerderland B.V.
Van Konijnenburgweg 84
NL-4612 PL Bergen Op Zoom

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Switzerland
T 00 41 32 727 36 00 - F 00 41 32 727 36 19
ContactFDS@climalife.dehon.com

Netherlands
T 00 31 164 212 830 - F 00 31 164 212 831
ContactFDS@climalife.dehon.com

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Gas 1A H220
Press. Gas (Liq.) H280
Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) :

H220 - Extremely flammable gas.
H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP) :

P210 - Keep away from heat, open flames, hot surfaces, sparks. No smoking.
P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P381 - In case of leakage, eliminate all ignition sources.
P403 - Store in a well-ventilated place.

2.3. Other hazards

Other hazards which do not result in classification : May cause suffocation by reducing oxygen available for breathing. Contact with the liquid the may cause cold burns/frostbite.

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component

Propane(74-98-6)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) substance with a Community workplace exposure limit	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395-27	77	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
Propane substance with a Community workplace exposure limit	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944-21	23	Flam. Gas 1A, H220 Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: In the event of contact with the liquid: treat resulting frostbite as a burn. Wash skin thoroughly with mild soap and water. Take off immediately all contaminated clothing. If skin burns appear, call a doctor immediately.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum).
First-aid measures after ingestion	: Rinse mouth out with water. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Dizziness, headaches, nausea.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Tingling sensation. Lacrimation. Rednesses.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Carbon dioxide. Foam. Dry powder.
Unsuitable extinguishing media	: Strong water jet.

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable gas. Heating will cause a rise in pressure with a risk of bursting. The vapours are denser than air and may travel along the ground. Distance ignition possible.

5.3. Advice for firefighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray. Close the valve if possible.
Protection during firefighting : Impermeable boots and protective equipment. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop the leak. Evacuate the danger area. Avoid contact with skin and eyes. Do not breathe smoke. Only qualified personnel equipped with suitable protective equipment may intervene. Remove all sources of ignition.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. In case of important spillage : Local evacuation is necessary (for people in close proximity to the spillage area).

6.2. Environmental precautions

Control the vapours with a fine water spray.

6.3. Methods and material for containment and cleaning up

For containment : Ventilate spillage area.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Use non-sparking tools. Earth the equipment used to transfer the product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures : Always wash hands after handling the product. Do not drink, eat or smoke in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep away from ignition sources. Store in original container.
Incompatible products : Oxidizing materials. Oxidizing materials. Strong bases.
Packaging materials : Carbon steel.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	1450 mg/m³
IOEL TWA [ppm]	600 ppm
IOEL STEL	1810 mg/m³
IOEL STEL [ppm]	750 ppm

Propane (74-98-6)

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	1800
IOEL TWA [ppm]	1000 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

8.2.2.2. Skin protection

Skin and body protection:

Protective non-flammable and resistant to chemical penetration clothing

Hand protection:

Nitrile-rubber protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

If the occupational exposure limit is exceeded: Gas mask with filter type AX. In a confined area : Self-contained breathing apparatus

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Colour	: Colourless.
Odour	: Hydrocarbon-like.

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour threshold	: Not available
Melting point	: -188 °C
Freezing point	: Not applicable
Boiling point	: -42 °C
Flammability	: Extremely flammable gas.
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Lower explosion limit	: 1.8 vol %
Upper explosion limit	: 9.5 vol %
Flash point	: -104 °C
Auto-ignition temperature	: 450 °C
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 4.5 bar (20 °C)
Vapour pressure at 50°C	: 9.7 bar (50 °C)
Density	: 0.54 g/cm³ (20 °C)
Relative density	: Not applicable
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Critical temperature : 97 °C

9.2.2. Other safety characteristics

Gas group : Press. Gas (Liq.)

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

May explode or ignite : on contact with incompatible materials.

10.5. Incompatible materials

Oxidizing materials. Combustible materials. Strong bases.

10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases : Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Asphyxiating

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)	
LC50 Inhalation - Rat	658 mg/l/4h
Propane (74-98-6)	
LC50 Inhalation - Rat [ppm]	> 800000 ppm
Skin corrosion/irritation	: Not classified
Additional information	: Contact with the liquid the may cause cold burns/frostbite
Serious eye damage/irritation	: Not classified
Additional information	: Contact with the liquefied gas may cause severe ocular lesions
Respiratory or skin sensitisation	: No sensitizing effect known
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Propane (74-98-6)	
LOAEC (inhalation, rat, gas, 90 days)	21.641 mg/l
NOAEC (inhalation, rat, gas, 90 days)	7.241 mg/l
Aspiration hazard	: Not classified
Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)	
Viscosity, kinematic	269.643 mm²/s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

12.2. Persistence and degradability

Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)	
Persistence and degradability	< 60 % biodegradation after 28 days.
Propane (74-98-6)	
Persistence and degradability	< 60 % biodegradation after 28 days.

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.3. Bioaccumulative potential

Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)

Partition coefficient n-octanol/water (Log Kow) 2.88

Propane (74-98-6)

Partition coefficient n-octanol/water (Log Kow) ≥ 1.815

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : ODP (R-11=1)=0.
Additional information : GWP (CO2=1/100 years) = 3

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Refer to manufacturer or supplier for information on recovery or recycling.
Additional information : The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

SECTION 14: Transport information





In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
UN 1965	UN 1965	UN 1965	UN 1965
14.2. UN proper shipping name			
HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. (Mixture A0)	HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. (Mixture A0)	Hydrocarbon gas mixture, liquefied, n.o.s. (Mixture A0)	HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. (Mixture A0)
Transport document description			
UN 1965 HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. (Mixture A0), 2.1, (B/D)	UN 1965 HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. (Mixture A0), 2.1	UN 1965 Hydrocarbon gas mixture, liquefied, n.o.s. (Mixture A0), 2.1	UN 1965 HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. (Mixture A0), 2.1

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	RID
14.3. Transport hazard class(es)			
2.1	2.1	2.1	2.1
			
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 2F
Special provisions (ADR) : 274, 583, 652, 660, 662
Limited quantities (ADR) : 0
Tank code (ADR) : PxBN(M)
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 23
Orange plates :



Tunnel restriction code (ADR) : B/D
EAC code : 2YE

Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 0
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U

Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : 200
CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A1

Rail transport

Special provisions (RID) : 274, 583, 660, 662
Limited quantities (RID) : 0
Tank codes for RID tanks (RID) : PxBN(M)
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE3
Hazard identification number (RID) : 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

ISOBUTANE/PROPANE 3.5 bar

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
2.2	Safety advice	Removed	
11	Additional information	Added	
12.6	Additional information	Added	
12.7	Additional information	Added	

Full text of H- and EUH-statements:

Flam. Gas 1A	Flammable gases, Category 1A
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.